



The **N730i** digital colour label press

Discover what you can do



Setting new standards in high performance
1200dpi inkjet label printing

Domino. Do more.

Introducing the **N730i**

The Domino **N730i** digital label press represents a cutting-edge advancement in digital printing technology, tailored for the demanding needs of modern label production.



Combining excellent print quality at 1200dpi with remarkable speed and efficiency, the **N730i** leverages state-of-the-art UV inkjet technology to deliver vibrant, high resolution labels suitable for various industries.

With its robust performance and versatility, this digital label press enables businesses to streamline their production processes, reduce waste, and meet the evolving demands of their customers with exceptional precision and reliability.

Overview

1200dpi print quality

- ◆ Print your intricate fine line artwork and seamless gradients alongside solids with the most consistent optical density at up to 70m/min.

Automation delivering superior production efficiency

- ◆ Experience unparalleled production efficiency with our latest i-Tech features including **ActiFlow2**, **CleanCap2** and **SetAlign**.

Domino & Brother manufactured printheads and ink set

- ◆ Equipped with the revolutionary Brother BITSTAR™ printheads and Domino manufactured ink, the **N730i** has been engineered specifically for outstanding performance in label production.

*"Being the first customer of the **N730i** is giving us the opportunity to explore new capabilities in our market. We can now look for finer tone work, smaller droplets sizes to help us with sleeves. Going forward is a very exciting opportunity for us."*

Adrian Brown Managing Director, Olympus Labels (now part of All4Labels)

Hear from some of our customers

Scan to watch



*"Domino is a great partner, and it's nice to have somebody that's got the technology, and the service, and the people that you can rely on to help you get through the next phase. With the additional capabilities of the **N730i**, there was really no other choice to be made."*

Steve Grace President of Grace Labels



Scan to watch



*"We were looking for impeccable quality, at high speed. With the Domino **N730i**, all our productions run at 70m/min with a constant quality, which remains excellent with a very opaque white."*

Frédéric Brisson Manager, Socaret Etiquettes



N730i Integration Module

Looking for a high print quality hybrid solution? Incorporating all the same cutting-edge technology provided as standard with the **N730i** reel-to-reel label press, the **N730i Integration Module** enables you to merge the exceptional capabilities of digital printing with flexographic processes to create your preferred hybrid solution.

It offers the ultimate in flexibility, efficiency and quality, allowing you to integrate with any OEM partner of your choice and to any configuration of your choice.

Scan to find out more





Discover the **N730i**

Complete Overview

Superior Print Quality: 1200dpi with revolutionary BITSTAR™ print head technology, delivering consistent high quality output at 70m/min across all colours, with no reduction in white opacity.

Unparalleled Production Efficiency: Superior uptime because of the most advanced **i-Tech** features.

Create tactile finishes: Domino Textures can create tactile finishes, perfect to enhance shelf appeal.


Make your print stand out: Configurable in up to 7 colours and able to achieve up to 92% of the Pantone colour range.

Step into new market segments: Capable of supporting shrink sleeve applications and includes the Domino Shrink Sleeve App, providing industry leading UV digital inkjet capabilities.

Work flows more easily: Workflow is modular in design, you can operate the press independently or completely automate the process. Adopting JDF/JMF industry standards, detailed reporting can be extracted via the Domino Viewer, which is provided as standard.

Ease of use: Including the new Domino SunLight Graphical User Interface (GUI). At the press of a button, the **N730i** can be automatically set up and ready to print in less than a minute.

Ergonomic Design: Automated roll lifts are provided as standard at the unwind and rewind, supporting media rolls of up to 1 metre in diameter.



Flexibility: Optional flexo priming station, which can be retrofitted, to optimise print quality on more difficult media types.

Accessibility: The print carriage is delivered through an innovative slide system, allowing the user to pull the print carriage outside and towards the front of the machine.

Robust industrial performance in mind: Solid, industrial frame with easy access points to eliminate registration errors.


Open new markets: Optional flexo station, which can be retrofitted, to support varnishing, a brand spot colour or for cost-effective flood white for shrink sleeve applications.

R-Scan monitoring and inspection camera system: Optional camera system with a suite of automated print quality and variable data assurance tools.

Discover the power and the potential

Accessing new markets and delivering for demanding customers puts everyone under pressure to perform.

The consistent high quality of output, high speed operation and printing efficiency of the **N730i** establishes it as an asset that will help your business compete and win.



High performance technology – 1200dpi with consistent quality at speed

At the centre of the **N730i** is the BITSTAR™ 1200dpi print head. Designed to deliver exceptional print quality at an optimal high speed of 70m/min, including white.

A completely unique design, the BITSTAR™ is primed with technical features that stretch the possibilities of digital print quality.

Unique and patented triple layer polycrystalline micro piezo technology minimises cross talk and delivers precise nozzle control for optimum drop placement accuracy and superior print results.

That consistency is maintained throughout the lifetime of the head, greatly extending its useful life and long term value. The BITSTAR™ print head delivers unparalleled quality at speed and exceptional reliability.

The **R-Scan** monitoring and inspection system for peace of mind

Quality control is a critical element in label production, contributing to minimising waste and maximising cost efficiency. The **R-Scan** is an automated print quality and variable data check and notify system that provides you with confidence and assurance requiring minimal setup time and supervision. It is the ideal solution to maintain demanding print quality standards, improve production efficiency and ensure customer quality requirements are met, while reducing re-work, waste and spoilage.



BITSTAR™ Revolution in resolution

The central challenge of inkjet printing is to ensure reliable, high quality images on a wide range of substrates. In the search for the highest possible quality of image, Domino developed the combination of smallest drop sizes to achieve the finest detail.

The **N730i** is capable of printing a smallest drop size of 2.1pl and nominal drop sizes of 2.8pl and 3.3pl.

The result is consistent ink density across the image. That means sharper edges, smoother gradients, exceptional quality and greater accuracy at any scale.

Take a look at what we can do...

01 seven colour
he Domino N730i

1200dpi的多米诺N730i七色数
了革命性的打印头技术的N730i
提高了字体的清晰度和对比度
多晶层压电技术减少了单位重量
的第二代的i-Tech技术给客户带
减少停机维护时间。
最新的图形化SunLight用户界面
在菜单中提供JDF/JMF以及更多

Fine fonts and micro-text, Asian characters and intricate fine lined artwork can be achieved.

Fine details, such as geometric shapes and subtle shading are achieved with reduced mottle.

Bold colours are richer, more consistent and easier to match accurately.

Domino N730i seven colour digital label press at 1200dpi
The N730i is equipped with revolutionary print head technology, offering the smallest combination of drop sizes, resulting in smoother tones and superior line detail. Unique and patented triple layer polycrystalline micro piezo technology minimises cross talk and delivers precise nozzle control.
Providing our customers with the most automated solution, superior uptime is gained. This is delivered by our advanced i-Tech second generation features.
Ease of use is delivered through our graphical and intuitive SunLight user interface which includes JDF/JMF functionality and Domino Cloud capability.
Built on Generation 7 ink jet technology, the N730i is designed to produce superior print quality, unparalleled production efficiency and a system that's just so easy to use.

Average nutritional value per 100g	
Energy:	8000 kJ / 1900 kcal
Fat:	0.0 g
of which saturated fatty acids:	0.0 g
Carbohydrates:	0.0 g
of which sugars:	0.0 g
Protein:	0.0 g
Salt:	0.0 g

1200dpi的多米诺N730i七色数码印刷机
配备了革命性的打印头技术的N730i，因其更加微小的墨滴组合，在更低的墨滴组合和更小的墨滴组合，提供更优的三色多晶层压电技术减少了单位重量，提高了字体的清晰度和对比度，多晶层压电技术减少了单位重量，提高了字体的清晰度和对比度。
改进的第二代的i-Tech技术给客户带来更快捷的自动化方案，极大地减少停机维护时间。
我们最新的图形化SunLight用户界面更易于客户使用，提供菜单中提供JDF/JMF以及更多菜单 (Domino Cloud)。
基于第七代的油墨技术，N730i，由来的印刷品质，无可比拟的生产效率和易于使用性。

Printed on: **DOMINO N730i ink jet press**

POLYSPORTS
supplements & additives

RASPBERRY Flavour

PRO 66

Protein MILKSHAKE

50 portions - 500 g

With vitamins & minerals Increase muscle size & strength Ultra fast absorption Approved quality

Smooth gradients, including grayscale, highlight detailed shadows over a smooth gradient.

Xsence

Miracle touch

Blush Box

3 x 5 g / Net Wt. 3 x 0.17 oz e

Printed on: **DOMINO N730i ink jet press**

Skintones are printed at exceptional quality with smoothness across tone changes.

Inkjet intelligence

Domino's **intelligent Technology**, or **i-Tech**, features are given their name because we consider them to be outstandingly clever elements whose inclusion measurably improves efficiency, use, function and reliability.

Our teams have now further improved some of the existing **i-Tech** enhancements and created some new ones, including **i-Tech CleanCap2** and **SetAlign**. The best has just become better.



Automated cleaning with **i-Tech CleanCap2**

Are you still manually wiping your print head? This automated print head cleaning and capping technology is a consistently controlled process which reduces manual operator intervention and reduces waste.



Consistent print quality with **i-Tech NozzleAdjust**

When a missing or deviated nozzle is identified, they can both be compensated using our automated **NozzleAdjust** feature, extending the in-use lifetime of print heads in conjunction with delivering consistent print quality at high speed.

Before Compensation




After Compensation



For illustration purposes only

Save time and increase print quality with **i-Tech SetAlign**

The innovative **i-Tech SetAlign** is an automated system that sets density and accurately aligns the print heads. This combination of consistent density, created by the voltage trimming across the entire print bar, with the precise head alignment results in a uniform and seamless print across the full web width. Exceptional quality is delivered, every time.



Jets that keep jetting with **i-Tech ActiFlow2**

ActiFlow2 has been engineered to provide full ink circulation throughout the entire ink system, including the print head. This prevents micro air bubbles and pigment sedimentation from forming, whilst also maintaining a consistent ink temperature. This results in enhanced ink stability and performance, delivering consistent print quality and system reliability.



UV93 ink range widens your market

The exceptional resolution and consistency of the BITSTAR™ print head is matched by the performance of our UV ink range. The **N730i** with our **UV93** ink set, which has been engineered for optimum 1200dpi performance, opens up more markets, with a wide colour gamut, including solid white at 76% opacity at 70m/min, high resistance to UV, and strong adhesion and abrasion properties. **UV93** can also support shrink sleeve applications.



Applications

The **UV93** curable ink set is ideal for:



Seven colour print

The **N730i** can be configured to print up to seven colours, including orange, violet and white. The full CMYKOVW combination makes it possible to achieve 92% of the Pantone®*** colour matching system range, without the need to mix spot colours.

Silk white without the silk screen

Domino digital white prints at 76% opacity to create the highest impact artwork.***




*Subject to regulations in the given market and when a migration barrier is in place
 Subject to delta E and media specification *Media dependent


What's in a drop?

High resolution might seem like everything there is to say about image quality, but there are many more variables that can affect the finished print.

Domino formulates its own ink sets to provide the range of colours, durability and permanence required by the most exacting applications. Engineering the print head and ink formulations to deliver colour vibrancy and ink drops as small as 2.1 picolitres is akin to magic, the ink appearing as if from nowhere.



- PP Top White
- PE 85 TC
- MC Primecoat



Colour that stays

- ✓ Using the Blue Wool Scale, the relative lightfastness of different pigments can be measured. The maximum rating is 8.
- ✓ On many substrate types, **UV93** achieves the maximum score.
- ✓ **UV93** inks maintain full adhesion on heat sensitive shrink labelling, even when reduced by 70%.***

Bring print to life

Unique Domino textured label effects can be created on standard paper, PP and PE materials. Achieve premium product branding with enhanced shelf appeal.



Make The Right Choice with Domino

"If you are looking for a digital partner, there's a lot more than Technology that you need to consider. At Domino Digital Printing Solutions, we don't just sell products. Let me introduce you to The Domino Difference..."

David Ellen
Divisional Director
Domino Digital
Printing Solutions



The Domino Difference


We're all about selling Digital Printing Solutions that add value and will help our customers to differentiate and grow their businesses. Domino has been built on strong foundations and it is the combination of these four pillars or cornerstones that make up The Domino Difference: Trusted Brand, Global Service, Sales Support and Proven Technology.



It's never been easier to invest in digital

Ask about our flexible leasing solutions, our competitive rates are generally lower than banks or third party leasing companies. Plus, you're dealing directly with Domino and no personal guarantees are required.

And it's all backed up with our excellent global customer service as well as a choice of service levels, spares, consumables, maintenance and training plans, all tailored to your unique business needs.



Digital Solutions Programme

The Domino Digital Solutions Programme provides you with market leading training and consultancy services, helping you to identify how to unlock new growth potential whilst maximising the efficiency and output of your **N730i** digital press.

Maximising opportunity and helping you do more

With Domino you can be assured that we are with you 'every step of the way' and our Digital Solutions Programme is designed to provide you with tailor-made consultancy services that deliver significant value to your business.

"The Domino Digital Solutions Programme training enabled us to meet the increasing demands from our customers for printing labels and sleeves with variable data. I am very satisfied with the improved performance achieved".

David Bruggala CEO, Conver Autoadhesivos, Spain

You're in safe hands

We've designed our support packages around our customers' needs. **TotalCare** provides our customers with an extended warranty and preventative maintenance package at a fixed price. It is built to provide our customers with choice and flexibility as their business grows.

Whatever your support needs, you can be rest assured that you're in safe hands with Domino and our **TotalCare** programme. We have it covered.



"Our mission is to save our customers time by finding solutions that are efficient, innovative, and sustainable. Domino helps us with that, they've been helping us for 12 years and will continue to do so in the future."

Kevin Hayes President, Outlook Group, USA

We put support exactly where it's needed... on the ground

Global Service & Support

The Domino field service teams are always ready to help you maintain the performance of your business.

With the insight that comes from working on a product we design and build ourselves, and the experience of helping a broad customer population, our customer support services are highly rated and recognised worldwide.

It increases the depth of support we can offer as well as the speed of response, but most of all it increases the strength of the relationships we have with our customers.

Over 1,000 Partnerships

The **N730i**, using our Generation 7 technology, is the product of more than 40 years of inkjet innovation, the insight and expertise of more than 3,000 employees, and the experience of over 1,000 installations of our Generation 6 inkjet technology.

Designed and built within the Domino and Brother Group: hardware design and manufacturing, software UI, ink chemistry and formulation. Installation, maintenance and support are equally vital components of the press.



About Domino



A trusted brand

Domino was founded in 1978 in Cambridge, UK to develop inkjet printing technologies. Our roots were firmly in the science of inkjet printing and our people have made many contributions to the physics and chemistry of the industry, registering patents for much of their work. As a highly successful commercial business, Domino has an enviable record of achievement, of international sales, and a reputation for quality and customer care.

Through a global network of 25 subsidiary offices and in excess of 200 distributors, the Domino Group operates in over 120 countries employing over 3,000 employees worldwide with manufacturing facilities situated in UK, China, Germany, India, Switzerland, Sweden and USA.

On 11 June 2015, the Domino Group was acquired by Brother. Brother is a registered trademark of Brother Industries Ltd.



Greener credentials

Domino's commitment and investment in sound environmental practices means we frequently exceed the increasingly demanding governmental, industry and company standards and regulations. We are committed to minimising the consumption of natural resources and energy and the creation of waste. Our inkjet printers are RoHS and WEEE compliant so that they are recyclable.

N730i

The **N730i** requires no plates, no plate making process or associated materials for washdown purposes and with fewer curing lamps than a flexo press, it uses less energy resulting in reduced costs. It creates very little media waste – this can be less than 2m (6ft) per job /substrate change* and the capability to 'print-on-demand' results in less over-printing and reduced storage requirements.

The **N730i** is supplied with UV curable inks representing an efficient use of our natural resources. Although UV curable inks are chemicals and need to be used correctly, they offer significant environmental benefits compared to solvent alternatives. Solvent inks include up to 95% volatile solvents that evaporate into the environment and require regular print head cleaning. **N730i** UV curable inks contain an average of 3.3% volatile solvents.

*based on theoretical calculations

Technical specification

N730i

Technology

- Piezo drop-on-demand inkjet and Brother BITSTAR™ printheads

Printing Speed

- Up to 70m/min (230ft/min) with optimum print quality

Image Resolution

- 1200dpi native including 3 drop sizes

Image Formats

- 340mm (13.4") maximum print width

Web Width

- 170mm (6.7")* to 340mm (13.4")

Media Type

- Polyethylene, polypropylene and paper self-adhesive label stock
- Selected unsupported media

Inks

- UV93 is available in UV curable Cyan, Magenta, Yellow, Black, Orange, Violet and White.

Unwind/Media Preparation/Rewind

- 1000mm (39") diameter
- Maximum roll weight: 350kg (772lbs)
- Servo driven tension control
- Corona treatment module
- Dual sided web cleaner
- Web guide module

Workflow

- Sunrise DFE
- Domino ScreenPro, ScreenPro HS, ScreenPro UHS
- JDF/JMF Support

Central Print Module

- Anti-static control
- Up to 7 colour print section
- UV LED pinning
- UV curing module
- Chilled roller

Options

- In-line finishing interface
- In-line monitoring and inspection camera system
- Flexo stations - priming/varnishing

Dimensions

- 6.208m (L) x 2.066m (H) (2.218m minimum clearance required) x 4.127m (W)
- 20.3ft (L) x 6.7ft (H) (7.25ft minimum clearance required) x 13.7ft (W)

Weight

- Unwind: 788kg (1737lbs)
- Print module: 2300kg (5070lbs)
- Rewind Unit: 679kg (1497lbs)
- Electronics Cabinet(s): 750kg (1654lbs)
- Ink Cabinet(s): 100kg (221lbs) each
- Flush Cabinet: 75kg (165lbs) each

Services

- Three phase power - one 380-420V drop
- Compressed air - one drop @ 6-8 bar (90-115psi), clean and dry

Environment

- Optimal temperature range 20-22°C (68-72°F)
- Maximum temperature range 20-25°C (68-77°F)
- Ink storage 20-25°C (68-77°F)
- Optimum humidity range 40-60%
- Dust controlled environment preferred

Registered Office Details:

Domino Printech India LLP
 117, Sector-8
 IMT Manesar
 Gurugram
 Haryana
 India - 122050
 Telephone: +91 900 900 6612



www.domino-printing.com

